

Hand Snips

MAX2000

Hardened alloy steel blades offer maximum cutting edge life. Superior material flow and lower profile allows maximum maneuverability.



A fast adjusting, long life pivot bolt, with nylon locking nut and pressure washer, holds desired adjustment even after repetitive use in heavy gauge metal.



An all-new, ambidextrous, one-hand-operation metal latch is accessible from top or side and features an ingenious simple design that will not loosen or hang up with repetitive use.



A narrower grip opening accommodates large or small hands without sacrificing generous Max2000 cutting length.

EASY-TO-SPOT, COLOR-CODED THERMOPLASTIC GRIPS permanently fitted over full length steel handle shafts offer strength, comfort and sure handling.

AMBIDEXTROUS, ONE-HAND OPERATION LATCH is accessible from top or side.

HANDLE TO HEAD LINKAGE produces powerful compound leverage.


Extra-long-life compression spring.

NARROWER GRIP OPENING accommodates large or small hands without sacrificing cutting length.

PREMIER HARDENED STEEL BLADES and generous cutting lengths are unchanged.

PERMANENT RIVETED HANDLES will not loosen and latch will not hang up.

Nothing outcuts, outmaneuvers or outlasts MAX!



M2001

M2002

M2003



STANDARD

CATALOG NUMBER	GRIP COLOR	CUTTING APPLICATION
M2001		Cuts Left
M2002		Cuts Right
M2003		Cuts Straight, Left and Right

LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (MM)	NET WEIGHT OZ. (G)
1-3/8 (34.9)	10 (254)	14 (397)
1-3/8 (34.9)	10 (254)	14 (397)
1-11/16 (42.9)	10 (254)	14 (397)

Max2000 Left, Right, and Combination Aviation Snips feature alloy steel blades with serrated lower jaws for solid gripping power in sheet metals, vinyl plastics, layered metals and seams (including "S" cleats).



STRAIGHT DOUBLE CUT

CATALOG NUMBER	GRIP COLOR	CUTTING APPLICATION
M2004		Straight, Double Cut

M2004



NEW
DOUBLE CUT

LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (MM)	NET WEIGHT OZ. (G)
1-3/8 (34.9)	10 (254)	16 (454)

The Max2000 Double Cut Snip employs a best-of-all-worlds close tolerance design for consistent performance. A curved cutting edge on the center jaw reduces cutting force required and large relief grinds on all jaws minimize drag. The double cut blades feed smoothly, cut cleanly without surface distortion, and easily navigate metal seams encountered in round metal duct and stove pipe. A self-starting point on center jaw makes short work of blind cuts.



BULLDOG

CATALOG NUMBER	GRIP COLOR	CUTTING APPLICATION
M2005		Notching and Trimming

M2005



LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (MM)	NET WEIGHT OZ. (G)
1-1/16 (27.0)	10 (254)	13 (367)

The Max2000 Bulldog Snip features shorter blades with a serrated lower jaw for controlled notching and trimming out to the blade tip in layered sheet metals and metal seams.



OFFSET

CATALOG NUMBER	GRIP COLOR	CUTTING APPLICATION
M2006		Cuts sharp Left angles, Straight lines and 5" (125 mm) diameter Circles.
M2007		Cuts sharp Right angles, Straight lines and 5" (125 mm) diameter Circles.

M2006

M2007



LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (MM)	NET WEIGHT OZ. (G)
1-1/4 (31.8)	10 (254)	16 (454)
1-1/4 (31.8)	10 (254)	16 (454)

Versatile Max2000 Offset Right and Left Aviation Snips feature a serrated upper jaw of hardened alloy steel and a forged steel lower jaw to produce a strong, sharply defined cutting edge for superior offset maneuverability and cutting performance.

CAPACITIES

M2004 DOUBLE CUT

MATERIAL	ALUMINUM	COPPER	GALVANIZED STEEL 22-GAUGE	MILD STEEL 22-GAUGE	STAINLESS STEEL 20-GAUGE
INCHES (MM)	.040 (1.02)	.034 (0.86)	.034 (0.86)	.030 (0.76)	N/A

ALL OTHER MAX2000 SNIPS

MATERIAL	ALUMINUM	COPPER	GALVANIZED STEEL 18-GAUGE	MILD STEEL 18-GAUGE	STAINLESS STEEL 20-GAUGE
INCHES (MM)	.062 (1.57)	.054 (1.37)	.054 (1.37)	.048 (1.22)	.038 (0.97)

REPLACEMENT COMPRESSION SPRING

M2000S Fits M2001, M2002, M2003, M2004, M2005, M2006 and M2007

Hand Snips



FORGED STEEL Aviation Snips



CATALOG NUMBER	CUTTING APPLICATION	LENGTH OF CUT IN. (MM)	Grips	LENGTH IN. (MM)	NET Wt. oz. (g)
AV1	Cuts left	1-3/8 (35.0)		9-5/8 (245)	14 (397)
AV2	Cuts right	1-3/8 (35.0)		9-5/8 (245)	14 (397)
AV3	Cuts straight, left and right	1-1/2 (38.1)		9-7/8 (251)	14 (397)



AV Offset Aviation Snips

AV6	Cuts sharp left angles, straight lines and tight diameter circles.	1-1/4 (31.8)		9-5/8 (245)	15 (425)
AV7	Cuts sharp right angles, straight lines and tight diameter circles.	1-1/4 (31.8)		9-5/8 (245)	15 (425)

CAPACITIES • ALL AV and DOUBLE CUT SNIPS

MATERIAL	ALUMINUM	COPPER	STAINLESS STEEL 20-GAUGE	GALVANIZED STEEL 18- GAUGE	MILD STEEL 18- GAUGE
Inches (mm)	.062 (1.57)	.054 (1.37)	.036 (0.91)	.052 (1.32)	.048 (1.22)

RELATED ITEMS

Find the perfect tool for a starter hole.
No. CDR Duct Ripper on page 69



HVAC-Tools of the Trade & Tools of the Trade
Roofing, Siding and Gutter

FORGED STEEL Snips



Bulldog Pattern Snip

Big, powerful snip for straight cuts and notches.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. LBS. (KG)
M15	2-1/2 (63.5)	16-1/2 (42)	3.89 (1.77)



M15



Regular Pattern Snip

For straight cutting and wide curves.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)
M9	3 (76.2)	12-1/2 (32)	27 (766)



M9



Circular "Duckbill" Snips

Maneuver and cut easily to very tip of blade. Cut sheet metal, aluminum and steel siding, plastics and other thin materials without tearing or catching.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)
MD10	2-1/2 (63.5)	10 (25)	13 (369)
MD12	3 (76.2)	12-1/2 (32)	27 (766)



MD12



MD10

Easily cut through HEAVY vinyl siding lockseams and more with the **Andy MV12 Snip!**

Lightweight 12-inch (31 cm) aluminum handled combination snip, features a BIG 3" (76 mm) cutting depth. Inset steel blades feature a Knife like edge that produces a smooth slicing action for cutting thick or layered vinyl and a variety of other flexible non-ferrous materials.



Andy SNIP



HEAVY VINYL SIDING

ALUMINUM TRIM COIL

LANDSCAPE EDGING

VINYL FLOORING

CARPETING

LEATHER



MV12



3" (76 mm)

Ultra Sharp High Carbon steel blades cut like a knife and are easily replaceable on the job!

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)	REPL. BLADES
MV12	3 (76)	12 (31)	20 (567)	MV12RB

Hand Snips

High carbon inset steel blades
Sleek aluminum frames for greater maneuverability.
Multiple handle openings fit large or small hands.
Superior material flow.

AndyTM
SNIP



Full 3" (76.2 mm) cut.
Slim nose with extended blade tip reaches into corners.



Pressure-fit inset blades make field replacement easy!



Comfort Gripped Option.
For comfort, fit and control in cold, wet or heat.

Lightweight with the strength of steel!



Andy 12" (31 cm) Pattern

Straight shearing, mild curve cuts, and multiple layers of material.


CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. oz. (g)	REPL. BLADES
M12N	3 (76.2)	12 (31)	16 (454)	M12NRB
M12NG Grip	3 (76.2)	12 (31)	20 (567)	M12NRB



Andy 12" (31 cm) Combination

L or R circles to 6" (15 cm) diameter and straight cuts.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. oz. (g)	REPL. BLADES
MC12N	3 (76.2)	12 (31)	16 (454)	MC12NRB
MC12NG Grip	3 (76.2)	12 (31)	20 (567)	MC12NRB



Large 14" (36 cm) frame with roomy handle loops and BIG 3-1/4" (82.6 mm) cutting length.



Pressure-fit inset blades make field replacement easy!



Andy 14" (36 cm) Pattern

Straight shearing, mild curve cuts, and multiple layers of material.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. oz. (g)	REPL. BLADES
M14N	3-1/4 (82.6)	14 (36)	20 (567)	M14NRB



Andy 14" (36 cm) Combination

L or R circles to 6" (15 cm) diameter and straight cuts.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. oz. (g)	REPL. BLADES
MC14N	3-1/4 (82.6)	14 (36)	20 (567)	MC14NRB



CAPACITIES • ALL ANDY SNIPS

MATERIAL:	VINYL	ALUMINUM	COPPER	STAINLESS STEEL 26-GAUGE	GALVANIZED 24-GAUGE	STEEL/MILD STEEL 24-GAUGE
Inches (mm)	.055 (1.40)	.035 (0.89)	.023 (0.58)	.018 (0.46)	.028 (0.71)	.024 (0.61)



All Andy and Andy Classic Snips:
HVAC-Tools of the Trade & Tools of the Trade-
Roofing, Siding and Gutter

The Fit and Feel of original Andy Snip Styling!



The snug fit and feel of the original.



Blades are easily replaceable with the use of a common wrench and #2 Phillips driver.



Andy Classic 12" (31 cm) Pattern

Straight shearing, mild curve cuts, and multiple layers of material.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)	REPL. BLADES
M12A	3 (76.2)	12 (31)	17 (482)	M12ARB

For original model M12, use replacement blades M12RB.



Andy Classic 12" (31 cm) Combination

L or R circles to 6" (15 cm) diameter and straight cuts.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)	REPL. BLADES
MC12A	3 (76.2)	12 (31)	17 (482)	MC12ARB

For original model MC12, use replacement blades MC12RB.



Blades are easily replaceable with the use of a common wrench and #2 Phillips driver.



Andy Classic 14" (36 cm) Pattern

Straight shearing, mild curve cuts, and multiple layers of material.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)	REPL. BLADES
M14A	3-1/4 (82.6)	14 (36)	22 (624)	M14ARB

For original model M14, use replacement blades M14RB.



Andy Classic 14" (36 cm) Combination

L or R circles to 6" (15 cm) diameter and straight cuts.

CATALOG NUMBER	LENGTH OF CUT IN. (MM)	TOOL LENGTH IN. (CM)	NET WT. OZ. (G)	REPL. BLADES
MC14A	3-1/4 (82.6)	14 (36)	22 (624)	MC14ARB

For original model MC14, use replacement blades MC14RB.



CAPACITIES • ALL ANDY SNIPS

MATERIAL:	VINYL	ALUMINUM	COPPER	STAINLESS STEEL	GALVANIZED	STEEL/MILD STEEL
Inches (mm)	.055 (1.40)	.035 (0.89)	.023 (0.58)	26-GAUGE .018 (0.46)	24-GAUGE .028 (0.71)	24-GAUGE .024 (0.61)